INDEX TO VOLUME 51

New names and the final members of new combinations are in **bold face type.**

Abutilon Palmeri, 290; sonorae, 290
Acacia paucispina, 287
Acalypha adenostachya, 290
Acanthocladium surculare, 245, 246; **polymorphum,** 245, 259
Acer platanoides, 194; rubrum, 189; Saccharum, 194
Acroporium, 247; **aciphyllum,** 253, 255, 259; **albidissimum,** 255, 256, 259; asperifolium, 250; **complanatum,** 256, 258, 259; cuculligerum, 249, 250; cuspidatifolium, 257; **denticulatum,** 252, 259; diminutum, 248; falcifolium, 253, 255; hamulatum, 253; hermaphroditum, 256; lamprophyllum, 248; **leucophyllum,** 250, 259; **longicuspis,** 254–256, 259; **malayanum,** 257, 259; monoicum, 256; **obscurum,** 251, 259; piliferum, 254; pycnophyllum, 256–258; **Ridleyi,** 256, 259; rigens, 252; rigens **dicranolomoides,** 252, 259; ruficaule, 250; rufum, 248, 251; secundum, 248, 251, 252, 254, 255; secundum angustifolium, 253; **serrulatum,** 249, 259; sigmatodontium, 253; stramineum, 248; **surculare,** 258, 259
Across the Sonoran Desert, 283
Adenostylis, 370; alpinus, 370
Agalinis holmiana, 196
Algae, Chinese marine, 133
Algae of Bermuda and the Bahamas, Notes on, 351
Allenrolfea, 129, 130; occidentalis, 129, 130
Amaranthus pumilus, 191
Ammopursus, 392, 393; **Ohlingerae,** 393
Andes of Colombia, Fossil fruits from the Eastern, 61
Anemone virginiana, 192
Annona, 390
Anthurium **aripoense,** 4; Guildingii, 4; panduraeforme, 4
Apopetala, 85
Appendiculata, 146
Aralia hispida, 195; spinosa, 195
Arthonia radiata, 205, 206
ARTHUR, JOSEPH CHARLES, New species of Uredineae—XV, 51
Asarum reflexum, 189
Asclepias quadrifolia, 196
Ascospora Scolopendrii, 52
Asimina, 390
Aster concolor, 388; **plumosus,** 387, 388; **simulatus,** 388
Astragalus, 18, 20; aculeatus, 20, 22; alvordiensis, 18; bicristatus, 19; collinus, 14, 17; collinus subglaber, 17; curvicarpus, 17; cyrtoides, 14–16; falciformis, 16; flexuosus, 20; Gibbsii, 14, 15; Gibbsii curvicarpus, 16; Gibbsii falciformis, 16; Hallii, 20; inversus, 14; Kentrophyta, 20, 22; Kentrophyta coloradensis, 23; Kentrophyta elatus, 20, 21; Kentrophyta rotundus, 23; Kentrophyta ungulata, 23; lonchocarpus, 19; miser, 21; pauciflorus, 21; podocarpus, 18; porrectus, 14, 19; sclerocarpus, 18; sinuatus, 16; speirocarpus, 18; speirocarpus curvicarpus, 16; speirocarpus falciformis, 16; stenophyllus, 14; tegetarius, 20–22; tegetarius implexus, 22; tegetarius rotundus, 23; Tweedyi, 14; viridis, 20; viridis impensus, 21; Whitedii, 17
Aubrya, 65
Avena, 37
Avicennia, 357; nitida, 357

Bacterium tumefaciens, 449–451, 453, 455, 456
Bahamas, Notes on algae of Bermuda and the, 351
Bambusa arundinacea, 341, 348, 349; polymorpha, 342
Barbula laevipila pagorum, 337
BARTRAM, EDWARD B., Studies in Tortula as represented in Southern Arizona, 335
Bassia hirsuta, 191
Batrachium trichophyllum, 192
Bauhinia anguina, 342, 344
Berberis vulgaris, 37, 38
Bermuda and the Bahamas, Notes on algae of, 351
BERRY, EDWARD W., Fossil fruits from the Eastern Andes of Colombia, 61

Betula lutea, 189; papyrifera, 189
Bidens, 421
BLAKE, S. F., New Polygalas from Colombia, 83; New South American Verbesinas, 421
Blechnum hastatum, 53
Blephariglottis psycodes, 188
Borreria, 387; podocephala, 387; **terminalis**, 387; verticellata, 387
Botanical literature, Index to American, 29, 69, 113, 155, 211, 275, 311, 361, 395, 437, 457
Braunfelsia enervis, 226; **longipes**, 225, 258; luzonensis, 226; scariosa, 225
Brickellia californica, 52
BRITTON, NATHANIEL LORD, Studies of West Indian plants—XII, 1
Bryophyllum, 449–451, 453, 454; calcyinum, 449, 451, 454–456
Bryophyllum calycinum, Crown gall on, 449
Bryopsis plumosa, 135, 136
Buellia parasema, 204–207
Bulbocastana, 146
Bumelia, 287; occidentalis, 287; rigida, 287
Burmeistera, 443; tomentosula, 447

Cacalia, 369–371, 409, 418; alpina, 370; amplifolia, 416; ampullacea, 416; atripicifolia, 370; brachycoma, 415; calva, 420; calotricha, 376; cervariaefolia, 409, 413; cirsiifolia, 420; cordifolia, 377; decomposita, 410, 414; globosa, 418; Goldsmithii, 416; hastata, 370; Holwayana, 372; jatrophoides, 419; lanceolata, 378; macrota, 375; megaphylla, 374; michoacana, 377; napeaefolia, 418; napellifolia, 419; obtusiloba, 374; pachyphylla, 417; Palmeri, 417; paucicapitata, 414; peltata, 372, 373; peltata Conzattii, 372; peltata Coulteri, 373; peltigera, 374; platylepis, 414; poculifera, 375; Porophyllum, 370; Pringlei, 415; Purpusi, 418; radulaefolia, 415; Schaffneri, 415; sessilifolia, 376; silphiifolia, 416; sinuata, 415; sonchifolia, 370; suaveolens, 370; suffulta, 377; tabularis, 375; tridactylitis, 419; tussilaginoides, 415; virginiana glabra, 370
Cacalianthemum, 370
Calothrix dura, 358; pannosa, 357; pilosa, 358
Caltha flabellifolia, 192
Calymperes aeruginosum, 232–234; angustatum, 232; Brotheri, 233; **constrictum**, 233, 258; Delessertii, 233; Dozyanum, 233; eutrichostomum, 233; hyophilaceum, 233; setifolium, 232–234; stenophyllum, 233
Calyptranthes **portoricensis**, 11
Candelaria concolor, 207
Cardamine parviflora, 193
Carex, 186; anceps, 186; brachyglossa, 187; cristatella, 186; festucacea, 186; hirsutella, 187; hystricina, 186; laxiculmis, 187; prasina, 186; squarrosa, 186; Swanii × gracillima, 187; tensa, 186; trisperma, 186; typhina, 186; umbellata, 186; umbellata × tonsa, 187; varia × tonsa, 187; virescens, 186
Carnegiea, 285–287, 289, 292; gigantea, 287
Carphephorus, 392, 393
Carum Carvi, 37
Cassia, 54, 55
Cathartolinum, 391
Centropogon, 443; **Andreanus**, 443, 444; **asservatus**, 444, 445; **breviflorus**, 444, 448; **caldasensis**, 444, 446; **gravidus**, 444, 447; Lehmanni, 444, 445; **Mutisianus**, 444, 446; **variabilis**, 444, 446, 447
Ceramium Boydenii, 141; japonicum, 141; rubrum, 135, 141, 143
Cercidium Torreyanum, 287
Cestrum, 53
Ceylon, The gregarious flowering of the talipot palm, Corypha umbraculifera, at Peradeniya, 341
Chaenocephalus macrophyllus, 436
Chaetomitrium elongatum, 237; orthorrhynchum, 237, 238; **perakense**, 237, 258; philippinense, 237; Ridleyei, 241, 242; **setosum**, 237, 258; stereodontoides, 242
Champia parvula, 135, 139
Chara, 471, 482, 484; crinita, 471; foetida, 471; fragilis, 469–471, 473, 475, 477, 478, 481, 483–486; hispida, 470, 471; strigosa, 471
Chara fragilis, A preliminary account of the influence of light and temperature on growth and reproduction in, 469
Chenopodium hybridum, 191
Chinese marine algae, 133
Chionanthus, 385, 389; **pygmaea**, 384, 385; virginica, 385
Chondria, 140; tenuissima, 140
Chondrocystis, 351, 356; **Bracei**, 355–357; Schauinslandii, 356

Chorda, 140; Filum, 135, 136
Chordaria **Chordaria**, 136; Cladosiphon, 136; firma, 136
Chroothece Richteriana, 359
Chrysoma laricifolia, 128
Chrysopora, 53; aurantiacum, 53; **Cestri**, 53; Gynoxidis, 53; **Mikaniae**, 54
Chusquea abietifolia, 341, 349
Cicuta bulbifera, 195
Cladophora, 136
Cladosiphon Chordaria, 136
Clastobryum **prionotrichum**, 236, 259; surculare, 237
Claytonia virginica, 38, 192
Cleome spinosa, 107
Clidemia **Clementiana**, 2
Clinopodium, 386; Ashei, 385; coccineum, 386; dentatum, 386; macrocalyx, 386
Closterium moniliferum, 354
Codium fragile, 136; mucronatum, 136
Coleosanthus californicus, 52
Coleosporium **aridum**, 52; **Spigeliae**, 51
Colombia, Fossil fruits from the Eastern Andes of, 61
Colombia, New Polygalas from, 83
Colpomenia sinuosa, 136
Conotrema, 207; urceolata, 204–207
Conradina canescens, 386, 387; **grandiflora**, 386
Contributions to the flora of Long Island, New York, 177
Corallina officinalis, 135, 144
Cordia, 66, 67; **vera**, 62, 66
Corypha umbraculifera, 341, 342, 344, 345, 347, 349, 350
Corypha umbraculifera, at Peradeniya, Ceylon, The gregarious flowering of the talipot palm, 341
Covillea, 285, 287, 290, 292; tridentata, 286, 289
Cronartium ribicola, 39, 41, 47, 48
Crown gall on Bryophyllum calycinum, 449
Ctenidium **falcifolium**, 238; stereodontoides, 238; substereodontoides, 242
Cuscuta, 128–130; salina, 129, 130
Cuscuta, The Tissue fluids of, 127
Cycadeoidea Dartoni, 343
Cyperus Engelmannii, 183; erythrorhizus, 183; ferax, 183; **naguensis**, 1; speciosus, 183; stenolepis, 1
Cyrilla, 383, 389; **arida**, 383; parvifolia, 383; racemiflora, 383
Cystophyllum, 137; Thunbergii, 137
Cytological study of living cells of tobacco plants affected with mosaic disease, 261

Danthonia compressa, 181
Dasya elegans, 141; pedicellata, 135, 141; punicea, 141
Dasystephana Andrewsii, 196; saponaria, 196
Decastelma, 6; Broadwayi, 6; **trinitense**, 5
Deeringothamnus, 389, 390; **pulchellus**, 390
Delopyrum, 389; **basiramia**, 380; ciliatum, 380
Dendrobium crumenatum, 342
Dendrocalamus giganteus, 342. 344; strictus, 341, 342, 344
Dentaria laciniata, 193
Dentoceras, 388; **myriophylla**, 389
Desmella, 55, 56
Dianthus, 39; caryophyllus, 38
Dicaeoma, 55, 56; **Lygodii**, 55; poculiforme, 38
Dichothrix, 351, 357, 358; **Bornetiana**, 357, 358; cyanea, 358; penicillata, 358
Dicranoloma assimilis, 226; Billardieri, 226; Blumii, 226; braunfelsioides, 226; Braunii, 226; **brevicapsulare**, 226, 258; brevisetum, 252; **perintegrum**, 226; reflexifolium, 252; sumatranum, 227
Dictyosphaeria favulosa, 357
Dictyota divaricata, 135, 138; indica, 138
Diorchidium, 54; australe, 55; **brasiliensis**, 54; Piptadeniae, 55; Puiggarii, 55
Ditrichum macrophyllum, 430
DIXON, H. N., New species of mosses from the Malay Peninsula, 225
Dondia linearis, 191, 192; maritima, 191, 192
Dorstenia **confusa**, 8, 9; Contrajerva, 7, 8; cordifolia, 7, 8; crassipes, 8, 9; crenulata, 7, 8; erythrandra, 8, 9; jamaicensis, 8, 10; peltata, 7, 9; petraea, 7, 9; **Rocana**, 7, 8; **Roigii**, 8, 9; tuberosa, 7, 8; tubicina, 7, 9
Downingia concolor, 300, 301; **immaculata**, 300, 301; pulchella, 300, 301; pulchella arcana, 301

Echinocactus Lecontei, 290
Ecklonia cava, 133
Ectropothecium buitenzorgii, 239; callichroides, 239, 240; calli-

chroides **elongatum,** 239, 259; Dixoni, 239; goliathense, 239; incubans, 240: Moritzii, 241, 242; Moritzii **stereodontoides,** 241; scaberulum, 240; **siamense,** 240, 259; **singapurense,** 239
Elaphrium Macdougalii, 291, 292; microphyllum, 288–290
Eleocharis, 183; acuminata, 183; capitata, 183; Robbinsii, 183; tenuis, 183
Encelia farinosa, 285, 289, 292
Endocladia complanata, 135, 139
Endotrichella **plano-marginata,** 235
Enteromorpha compressa, 135; Linza, 135; prolifera, 135, 136
Equisetum fluviatile, 178
Eragrostis capillaris, 181
Eriogonum Kennedyi, 295; Kennedyi **alpigenum,** 296; Kennedyi **austromontanum,** 295, 296
Eriophorum, 183; tenellum, 183
Eucamptodon Wrayi, 252
Eucapsis, 356
Eugenia **boqueronensis,** 10; cordata, 11; **corozalensis,** 11; **Stewardsonii,** 11; **Underwoodii,** 10; **xerophytica,** 11
Eupatorium rotundifolium, 201; sessilifolium, 201; Torreyanum, 200
Euphorbia, 47; cyparissias, 38; tomentulosa, 290
Expression of the sexual state in Sagittaria latifolia, 103

Fabaceae—III, Notes on, 13
FERGUSON, WILLIAM C., Contributions to the flora of Long Island, New York, 177
Festuca gigantea, 181; nutans, 181
Fissidens **amblyotis,** 229, 258; discolor, 228; irroratus, 229; **subdiscolor,** 228, 258
Flora of Long Island, N. Y., Contributions to the, 177
Flora of Northern South America—I, Studies on the, 443
Florida, Plant novelties from, 379
Fossil fruits from the Eastern Andes of Colombia, 61
Fouquiera, 290, 291; splendens, 287, 292
Frankinia Palmeri, 290
Franseria deltoidea, 290; dumosa, 290, 292
Fraxinus pennsylvanica, 189, 195
Fucus Amansii, 138

Galium angustifolium, 299; crucitatum, 198; **gabrielense,** 299; multiflorum, 299; siccatum, 299; verum, 198
Garberia, 393
Garovaglia aristata, 235; densifolia, 235
Gaudichaudia Schiedeana, 57
Gelidium, 138; Amansii, 138; Amansii radicans, 138; australe, 138; corneum, 138; corneum claviferum, 138; corneum pulchellum, 138
Gentiana clausa, 196; crinita, 196
GLEASON, H. A., Studies on the flora of Northern South America—I. 443
Glochidiatae, 86
Gloiopeltis coliformis, 135, 141
GOLDSTEIN, BESSIE, Cytological study of living cells of tobacco plants affected with mosaic disease, 261
Gracilaria confervoides, 135, 139; lacinulata, 135, 139
Grateloupia, 134, 143; acuminata, 143; filicina, 141–143; filicina **Lomentaria,** 142–144; filicina **porracea,** 142; porracea, 142, 143; tubulosa, 142, 143
Gregarious flowering of the talipot palm, Corypha umbraculifera, at Peradeniya, Ceylon, The, 341
Grimmia funalis, 251
Guettarda, 66
Gymnogongrus flabelliformis, 135, 139; japonicus, 139
Gymnosporangium, 47; macropus, 38
Gynura, 371

Haliseris divaricata, 138
HARRIS, J. ARTHUR, The tissue fluids of Cuscuta, 127
Hebeclada, 84, 85
Helianthus hypargyreus, 57
Hemicarpha, 184; micrantha, 184
Heuchera americana, 193
Hibiscus denudatus, 292
Hieracium marianum, 199, 200; scabrum, 200; venosum, 199, 200
Hilaria, 288
Homalobus, 13, 18–20; aculeatus, 22; **alvordensis,** 13, 18; **bicristatus,** 13, 19; californicus, 13–15; collinus, 13–15, 17–19; curvicarpus, 17, 18; **Gibbsii,** 13–18; **Laurentii,** 13, 15; Plummerae, 13, 16, 19; **podocarpus,** 13, 18; **porrectus,** 19; **sinuatus,** 13, 16; **speirocarpus,** 13, 18; **subglaber,** 13, 17;

Tweedyi, 13, 14, 19; **Whitedii**, 13, 16; Wolfii, 22; vexiliflexus, 21
Hordeum jubatum, 181
Horsfordia alata, 290
HOWE, MARSHALL A., Chinese marine algae, 133; Notes on algae of Bermuda and the Bahamas, 351
Humiria, 65; gabonensis, 65
Hypericum virgatum, 194; virgatum ovalifolium, 194
Hypnum Braunii, 248; callichroum, 239; gracilicaule, 248; hyalinum, 248; malaccanum, 239; microcladum, 242; prionotrichum, 237; pycnophyllum, 256, 257; scabrellum, 248; strepsiphyllum, 248; substrumulosum, 248; trachaelophyllum, 243
Hyptis Emoryi, 292

Idria, 292; columnaris, 291, 292
Ilex, 382, 383; **Buswellii**, 382; caroliniana, 383; **cumulicola**, 382; opaca, 382
Impatiens, 128; biflora, 128
Index to American Botanical Literature, 29, 69, 113, 155, 211, 275, 311, 361, 395, 437, 457
Internal sori of Puccinia Sorghi, 37
Ionoxalis violacea, 193
Isotria affinis, 188; verticillata, 188

Jatropha cardiophylla, 289; cinerea, 289, 292; cordata, 289; spathulata, 289
JOHNSON, ALICE M., The mid-styled form of Piaropus paniculatus, 25
JOHNSTON, IVAN M. & PHILIP A. MUNZ, Miscellaneous notes on plants of Southern California, 293
Juglandifolia, 146
Juncus articulatus, 187; Greenii, 187, 188; militaris, 187; Torreyi, 187

Kallstroemia caribaea, 3; curta, 3; **incana**, 3
KARLING, JOHN S., A preliminary account of the influence of light and temperature on growth and reproduction in Chara fragilis, 469
Kentrophyta, 20; aculeata, 22; impensa, 21, 23; minima, 22; montana, 20–23; **rotunda**, 23; tegetaria, 21, 23; **ungulata**, 23; viridis, 20, 21; Wolfii, 22
Kleinia, 369, 370
Kneiffia, 195; fruticosa, 195; linearis, 195; longipedicellata, 195; tetragona, 195
Kuhnistera, 381; adenopoda, 381; pinnata, 381; **truncata**, 380, 381

Laciniaria, 392, 393; Ohlingerae, 393
Lathyrus palustris, 193; palustris pilosus, 193
Laurencia obtusa, 140
Leathesia difformis, 135, 136
Lecanora albella, 204–207; subfusca, 205–207; varia, 205–207
Lechea, 384, 389; **cernua**, 384; Leggettii, 194; racemulosa, 384; tenuifolia, 194
Lecidea vernalis, 204, 206, 207
Lemaireocereus, 285–287, 292; Schottii, 289; Thurberi, 285
Leptogium, 208; tremelloides, 204, 206, 208, 210
Lespedeza capitata × angustifolia, 193; Bicknellii, 193
LEVINE, MICHAEL, Crown gall on Bryophyllum calycinum, 449
Liabum, 371
Lichens, A study on the effect of evaporation and light on the distribution of, 203
Ligularia, 369
Lilium canadense, 188; philadelphicum, 188
Linociera chinensis, 385
Lipactinia, 421
Litrisa, 392; **carnosa**, 392
Lobaria pulmonaria, 204, 206, 208, 210
Lobelia Dortmanna, 199; Mutisiana, 446
Lomentaria, 142; articulata, 140; catenata, 140; **sinensis**, 139, 140, 144
Long Island, N. Y., Contributions to the Flora of, 177
Lonicera japonica, 198; japonica flexuosa, 198; japonica Morrowi, 199; japonica Standishii, 199; sempervirens, 198
Lophocereus, 285, 287, 292; Schottii, 285, 286
Ludwigia sphaerocarpa, 195
Lupinellus, 101
Lupinus, 101; abortivus, 303; **Abramsi**, 308; affinis, 97; agninus, 307; albifrons **flumineus**, 306; arcticus, 308; aridus, 303; aridus **abortivus**, 303; aridus **Cusickii**, 303; aridus **Torreyi**, 303; aridus **washoensis**, 303; Aschenbornii, 93; bicolor, 91, 92, 94, 95, 99; bimaculatus, 101; bingenensis, 305; bingenensis **dubius**, 305; brevi-

caulis, 102; Burkei, 309; calcaratus, 304; canescens, 304, 306; canescens amblyophyllus, 304; caudatus **subtenellus,** 304; chihuahuensis, 91–93; columbianus, 307, 308; concinnus, 101; confertus, 304; confusus, 307; **Cottoni,** 309; Culbertsoni, 304; Cusickii, 303; densiflorus, 100; densiflorus austrocollinum, 100; densiflorus scopulorum, 100; flexuosus, 307; formosus Bridgesii, 309; fruticulosus, 303; gracilis, 99; Havardii, 101; holosericeus, 304, 306 holosericeus **amblyophyllus,** 304 inyoensis **demissus,** 304; **lapdicola,** 306; latifolius, 308; latifolius **canadensis,** 307; latifolius **columbianus,** 307; latifolius **subalpinus,** 308; laxiflorus 304, 308; laxiflorus **calcaratus** 304; leonensis, 101; lepidus **confertus,** 304; lepidus **Culbertsoni** 304; leucophyllus **Belliae,** 305; leucophyllus **canescens,** 306; leucophyllus **tenuispicus,** 306; Lyallii **fruticulosus,** 303; micranthus, 92, 95–97; micranthus **Congdoni,** 99; micranthus pachylobus, 94; microcarpus, 100; **microcarpus scopulorum,** 100; multitinctus, 304; nanus, 91–93; niveus, 91, 92; nootkatensis, 308; obtusilobus, 307; Orcuttii, 102; oreganus **Kincaidi,** 305; oreganus **pusillulus,** 305; ornatus bracteatus, 307; ornatus **obtusilobus,** 307; pachylobus, 91, 94; pinetorum, 303; polycarpus, 95–97; sellulus, 303; sericeus, 101; sericeus **flexuosus,** 307; Sitgreavesii, 101; subalpinus, 308; subcarnosus, 101; subulatus, 307; succulentus, 97; tenuispicus, 306; texensis, 101; Torreyi, 303; uncialis, 101, 102; variegatus, 304; washoensis, 303; Wyethii, 309

Lupinus—X, Studies in the genus, The Micranthi, (concluded), 91

Lupinus—XI. Some new names and combinations, Studies in the genus, 303

Lycopersicum, 145

Lycopodium carolinianum, 184; complanatum flabelliforme, 178

Lycopus virginicus, 38

Lygodium polymorphum, 53, 55

Lyngbya lutea, 358

Lythrum Salicaria, 25, 27

Macromitrium Blumii, 234; **magnirete,** 234; Zollingeri, 234

Malacothamnus fasciculatus splendidus, 297

Malaxis unifolia, 189

Malay Peninsula, New species of mosses from the, 225

Malvastrum **clementinum,** 296; fasciculatum, 296; fasciculatum **laxiflorum,** 296; Fremonti, 296; nesioticum, 296; splendidum, 297; Thurberi laxiflorum, 297

Maytenus **ponceana,** 10

Melampsorella Blechni, 52

Mesadenia, 377; **angustifolia,** 378; Elliottii, 378; lanceolata, 378

Mesoneuris, 409, 413; bipinnatifida, 409, 413

Metastelma, 6

Mexico and Central America, the section Tuberarium of the genus Solanum in, 145

Micranthi concluded, Studies in the genus Lupinus—X. The, 91

Mid-styled form of Piaropus paniculatus, The, 25

Mikania, 54; buddleiaefolia, 54

Milesia, 52; **australis,** 53; Blechni, 52, 53; **Scolopendrii,** 52, 53

Milesina Blechni, 52; Scolopendrii, 52

Millettia caffra, 54

Mimosa Roca, 55

Mimulus moschatus, 197

Miscellaneous notes on plants of Southern California, 293

Monopholis, 422

Mosaic disease, Cytological study of living cells of tobacco plants affected with, 261

Mosses from the Malay Peninsula, New species of, 225

MUNZ, PHILIP A. & IVAN M. JOHNSTON, Miscellaneous notes on plants of Southern California, 293

Myriactis pulvinata, 135, 136

Myriophyllum tenellum, 195

Myurium quinquefarium, 234; rufescens, 235; sinicum, 234; **subnitens,** 234

Nabalus altissimus, 199

Necramium, 6; **gigantophyllum,** 7

Nemastoma, 143; Cowdryi, 143, 144; dichotomum, 143

Nemopanthes mucronata, 194

Neurocarpus **divaricatus,** 135, 138

New Polygalas from Colombia, 83

New species of mosses from the Malay peninsula, 225

New species of Uredineae—XV, 51

New South American Verbesinas, 421

Nigredo Caladii, 38; caryophyllina,

38, 59; Sileres, 59; **Suksdorfii,** 58; **verruculosa,** 59
Nitella flexilis, 471
Notes on algae of Bermuda and the Bahamas, 351
Notes on Fabaceae—III, 13

Ochractinia, 428–432
Odontotrichum, 377, 409, 410; **amplifolium,** 412, 416; **amplum,** 412, 417; **ampullaceum,** 412, 416; **bipinnatifidum,** 410, 413; **brachycoma,** 411, 415; **calvum,** 413, 420; **cervinum,** 413, 420; **chiapense,** 411, 418; cirsiifolium, 409, 410, 413; **decompositum,** 410, 414; **delphinifolium,** 413, 419; **eriopodum,** 413, 418; **filicifolium,** 410, 414, 420; **globosum,** 413, 418; **Goldsmithii,** 412, 416; **jatrophoides,** 411, 419; **Liebmannii,** 413, 419; **napeaefolium,** 411, 418; **napellifolium,** 413, 419; **nephrophyllum,** 412, 418; **pachyphyllum,** 412, 417; **pallescens,** 413, 419; **Palmeri,** 412, 417; **paucicapitatum,** 411, 414; **platylepis,** 410, 414; **Pringlei,** 411, 415; **Purpusi,** 413, 418; **radulaefolium,** 411, 415; **rumicifolium,** 412, 416; **scabrum,** 412, 416; **Schaffneri,** 411, 415; **silphiifolium,** 412, 416; **sinuatum,** 411, 415; **tridactylitis,** 411, 419; **tussilaginoides,** 411, 415
Oedogonium consociatum, 354
Olneya, 286, 287, 290; tesota, 286, 289, 292
Opuntia, 285, 289; Bigelovii, 286, 292; fulgida, 287, 289; gosseliniana, 289, 290
Orontium aquaticum, 187

Pachycereus, 286, 287, 290, 292; Pringlei, 286, 288, 289
Pachystemon, 145
Panicularia acutiflora, 182; laxa, 182; septentrionalis, 182
Panicum Ashei, 182; barbulatum, 182; dichotomum, 182; microcarpon, 182; spretum, 182
Parkinsonia, 285–287, 292; aculeata, 287; microphylla, 286, 287, 289; Torreyana, 289
Parmelia, 204, 205, 208; caperata, 205, 206, 208; conspurcata, 205, 206, 208; physodes, 205, 206, 208; rudecta, 208; saxatilis, 208; sulcata, 205, 206, 208; tiliacea, 206, 208
Peltandra virginica, 38
Peperomia **Leoclemerocana,** 2
Pericalia, 376; cordifolia, 377; michoacana, 376, 377; ovatifolia, 376, 377; sessilifolia, 376; suffulta, 376, 377
Persicaria amphibia, 190; Careyi, 190; coccinea, 190; Muhlenbergii, 190; pennsylvanica laevigata, 190
Pertusaria amara, 204–206, 208, 210; multipuncta, 204–206, 208
PESSIN, LOUIS J. & CHARLES C. PLITT, A study on the effect of evaporation and light on the distribution of lichens, 203
Phaca, 20; collina, 14; podocarpa, 18; sinuata, 16
Phacelia **Keckii,** 298; suaveolens, 298
Phyllostachys puberula, 348
Physcia stellaris, 209
Piaropus azureus, 25; crassipes, 25; paniculatus, 25, 26, 28
Piaropus paniculatus, The mid-styled form of, 25
Pinnatella Kuhliana, 236; ligulifera, 236; **lingulata,** 236, 258
Pinnatisecta, 146
Pinus Strobus, 39, 41
Piper **aripoense,** 5; ovatum, 4; **maravalanum,** 4; Schackii, 4
Piptadenia latifolia, 55
Pirus Malus, 38
Pithophora, 351, 354; **heterospora,** 351–354; kewensis, 354; oedogonia, 354
Placoma, 356; vesiculosa, 356
Plant Novelties from Florida, 379
Plants of Southern California, Miscellaneous notes on, 293
Pleuropterus sachalinensis, 191; Zuccarinii, 191
PLITT, CHARLES C. & LOUIS J. PESSIN, A study on the effect of evaporation and light on the distribution of lichens, 203
Polygala, 381; **apodanthera,** 88; **cumulicola,** 381; **diversa,** 83, 84; Fendleri, 85–87; Fendleri **heterothrix,** 85; Funkii, 89; grandiflora, 381; paniculata, 86, 88; **Pennellii,** 86; **Smithii,** 84; **subsecunda,** 87; variabilis, 88; Vauthieri, 85; violacea, 85
Polygalas from Colombia, New, 83
Polygonella, 389
Polypodium polypodioides, 203
Polysiphonia ferulacea, 140, 141; japonica, 134, 140; Stimpsoni, 141
Polythrix, 358; corymbosa, 357, 358

Pontederia, 27; cordata, 25, 27; rotundifolia, 25
Porophyllum, 370; gracile, 292
Porphyridium cruentum, 358
Potamogeton confervoides, 178
Preliminary account of the influence of light and temperature on growth and reproduction in Chara fragilis, A, 469
Prestonia **Brittoni**, 5
Prosopis, 285–287, 290; glandulosa, 289; velutina, 289
Protoderma, 351, 355; marinum, 355; polyrhizum, 355
Psacalium, 369, 371; **argutum**, 371, 373, 374; **Conzattii**, 371, 372; **Coulteri**, 371, 373; **Holwayanum**, 371, 372; **Langlassei**, 372, 376; laxiflorum, 372, 375; megaphyllum, 371, 374; **Nelsonii**, 372, 374; **obtusilobum**, 371, 374; peltatum, 371, 373, 374, 376; **peltigerum**, 372, 374; **poculiferum**, 372, 375; **tabulare**, 372, 375; thyrsoideum, 371, 373
Psorobatus megacarpus, 290
Pterocladia, 138; capillacea, 138
Ptiloria pauciflora, 290, 292
Puccinia, 53, 55; albiperidia, 39; angustata, 38; barbatula, 58; caribistortae, 37; Cestri, 53; Claytoniata, 38; **ecuadorensis**, 56, 57; glumarum, 37, 38; graminis, 37, 38; graminis tritici, 37–39; Helianthi, 56; **Lygodii**, 55; **minuscula**, 56; Sorghi, 37, 40; Spegazzinii, 54; Xanthii, 38
Puccinia Sorghi, Internal sori of, 37
Pucciniastrum americanum, 39, 47
Pucciniola **Betheli**, 59
Pyrenula nitida, 209

Quercus bicolor, 189; rubra, 203, 204, 206

Ramalina, 210; canaliculata, 205, 206, 209; farinacea, 209
Reynosia **camagueyensis**, 1; latifolia, 1
Rhaphidostegium saproxylophilum, 247; Schwaneckeanum, 247
Rhizoclonium, 354; spiniforme, 255
Rhizogonium spiniforme, 255
Rhizophora, 357
Rhodomela subfusca, 135, 141
Ribes, 39, 48; glandulosum, 39; hirtellum, 39, 48
RICE, MABEL A., Internal sori of Puccinia Sorghi, 37
Rondeletia calophylla, 3; **Ekmanii**, 2
Rubus strigosus, 39, 47
Rumex britannica, 190; maritimus fueginus, 190; persicarioides, 190
RYDBERG, PER AXEL, Notes on Fabaceae—III, 13; Some senecioid genera—I, 369; —II, 409; The section Tuberarium of the genus Solanum in Mexico and Central America, 145, 167
Rynchospora, 184, 185; alba, 184; corniculata, 185; fusca, 185; inundata, 185; macrostachya, 185; pallida, 184

Saccoglottis, 61, 64, 65; amazonica, 64, 65; **cipaconensis**, 62, 64; tertiaria, 64
Sagittaria, 103–105, 112, 180, 181; Engelmanniana, 179–181; latifolia 103, 181; longirostra, 179–181; teres, 178
Sagittaria latifolia, Expression of the sexual state in, 103
Sanidophyllum, 391; **cumulicola**, 391
Sargassum, 133, 134, 137; confusum, 137; fuliginosum, 138; microceratium, 135–138; piluliferum, 138
Sarracenia purpurea, 193
Satureja, 386; Ashei, 385
Saubinetia, 423, 426; helianthoides, 425
SCHAFFNER, JOHN H., Expression of the sexual state in Sagittaria latifolia, 103
Sciadoseris, 409; vaginata, 409, 413
Scirpus, 183; heterochaetus, 184; lineatus, 184; novae-angliae, 183; Olneyi, 184; polyphyllus, 184; subterminalis, 184; Torreyi, 184
Scleria reticularis, 185, 186; setacea, 185; Torreyana, 185, 186
Scytonema crassum, 358
Scytosiphon Lomentaria, 135, 136
Sebastiania pavoniana, 290
Secale, 38
Section Tuberarium of the genus Solanum in Mexico and Central America, The, 145, 167
SEIFRIZ, WILLIAM, The gregarious flowering of the talipot palm, Corypha umbraculifera, at Peradeniya, Ceylon, 341
Sematophyllum auricomum, 248; bistrumosum, 257; dicranolomoides, 252; longicuspis, 254; obscurum, 251; palanense, 257; perpapillosum, 255; secundum angustifolium, 254
Senecio, 369, 371, 373, 376, 377, 409, 410, 415, 416, 418, 419; albo-luteus,

415; Beecheyanus, 376; calophyllus, 415: cardiophyllus, 377; cervariaefolius, 413; chiapensis, 418; eripodus, 418; farfarus, 415; insignis, 373; Liebmannii, 419; Moreliae, 375; ovatifolia, 377; pallescens, 419; peltiferus, 373; rumicifolius, 416; tabularis, 375
Senecioid genera, Some, 369, 409
Setiscapella cleistogama, 198; subulata, 198; subulata **cleistogama,** 198
SHREVE, FORREST, Across the Sonoran Desert, 283
Silene verecunda, 58
Simaruba, 63; eocenica, 64; haitensis, 64; miocenica, 64; versicolor, 63; **versicoloroides,** 62, 63
Simmondsia californica, 290, 292
Siphocampylus, 443; giganteus, 443
SMALL, JOHN K., Plant novelties from Florida, 379
SMITH, CHARLES PIPER, Studies in the genus Lupinus—X, The Micranthi concluded, 91; —XI, Some new names and combinations, 303
Solanopsis, 145
Solanum, 145, 290; aculeatissimum, 261, 272; **agrimonifolium,** 148, 154; apalophyllum, 145; appendiculatum, 153, 174, 175; boreale, 150; **brachistotrichum,** 167, 170; bulbocastanum, 145, 172; bulbocastanum dolicophyllum, 172; bulbocastanum latifrons, 172; **canense,** 173, 174; cardiophyllum, 153, 167–169; cardiophyllum amphixanthandrum, 169; cardiophyllum endoiodandrum, 169; cardiophyllum oligozygum, 168; cardiophyllum pliozygum, 168; columbianum, 173; demissum, 147, 151; demissum Klotzschii, 151; **Ehrenbergii,** 167, 169; **Ervendbergii,** 147, 153; Fendleri, 147, 148, 150; Grossularia, 173; **inscendens,** 174, 175; Jamesii, 151, 153, 168, 170, 171; Jamesii brachistotrichum, 170; Jamesii heterotrichum, 170; Jamesii nayaritense michoacanum, 171; Jamesii septentrionale ripicolum, 170; juglandifolium, 173; juglandifolium Oerstedii, 173; lanceolatum, 169; **lanciforme,** 167, 169, 170; longiconicum, 173; longipedicellatum, 147, 148; longipedicellatum pseudoprophyllum, 148; **michoacanum,** 168, 171; monoteranthum, 172, 173; morelliforme, 145, 172, 176; muricatum, 145, 176; muricatum parvifolium, 176; **nayaritense,** 167, 170, 171; **nicaraguense,** 168, 171; oxycarpum, 173; **Papita,** 147, 148; pinnatisectum, 168, 171; pinnatisectum heptazygum, 171; pinnatisectum pentazygum, 171; polyadenium, 168, 172; **polytrichon,** 147, 150; **sambucinum,** 167, 169; Schenckii, 176; schizostigma, 176; simplicifolium, 145; squamulosum, 152; stenophyllidium, 168, 171; stoloniferum, 147, 150, 152, 153; suaveolens, 173, 174; **subvelutinum,** 174, 175; tuberosum, 147, 148, 176; tuberosum boreale, 150; tuberosum pseudoprophyllum, 148; utile, 151; verrucosum, 147, 151–153, 174; verrucosum chalarophyes, 174; verrucosum glabrescens, 174; verrucosum iopetalum, 153; verrucosum pliophyllidium, 174; **Wightianum,** 147, 149
Solanum in Mexico and Central America, The section Tuberarium of the genus, 145, 167
Solidago altissima, 200; arguta, 201; rugosa, 200
Some senecioid genera—I, 369; —II, 409
Sonoran Desert, Across the, 283
South America—I, Studies on the flora of northern, 443
South American Verbesinas, New, 421
Southern Arizona, Studies in Tortula as represented in, 335
Southern California, Miscellaneous notes on plants of, 293
Spigelia Humboldtiana, 51
Sporobolus asper, 182; compressus, 182; uniflorus, 182
Stachys palustris, 196
Stegnosperma halmifolium, 292
Stephanomeria **Blairi,** 301
Studies of West Indian plants–XII, 1
Studies on the flora of northern South America—I, 443
Studies in the genus Lupinus—X. The Micranthi concluded, 91
Studies in the genus Lupinus—XI. Some new names and combinations, 303
Studies in Tortula as represented in Southern Arizona, 335
Study on the effect of evaporation and light on the distribution of lichens, A, 203
Styrax, 298; californica, 297; cali-

fornica fulvescens, 297; officinalis, 297; officinalis **californica,** 298; officinalis **fulvescens**, 297, 298
Symphyocladia gracilis, 139, 141
Syrrhopodon bornensis, 229, 258; **elimbatus,** 230, 258; Griffithii, 230; Junquilianus, 232; **ligulifolius,** 230; **perakensis,** 231, 258; **pungens,** 231, 259; **Ridleyi,** 229, 258; rufescens, 229, 230, 258; spiculosus, 230, 231; Treubii, 231; tristichus, 230; undulatus, 231, 232

Talipot palm, Corypha umbraculifera, at Peradeniya, Ceylon, The gregarious flowering of the, 341
Taxithelium **bilobatum,** 244, 259; capillipes, 243; glossoides, 244; Gottscheanum, 243; instratum, 242; instratum **Kurzii,** 242; **isocladioides,** 243, 259; isocladum, 243; nepalense, 240; papillatum, 246; **subtrachaelophyllum,** 243, 259; sumatranum, 244; **trachaelophyllum,** 243, 244, 259
Taxus canadensis, 178
Thysanomitrium **abbreviatum,** 227, 228, 258; Blumii, 228; exasperatum, 227, 228; **Ridleyi,** 227, 228, 258; umbellatum, 227, 228
Tissue fluids of Cuscuta, The, 127
Tithymaloides, 370
Tobacco plants affected with mosaic disease, cytological study of living cells of, 261
Tortula alpina, 336, 337, 340; alpina inermis, 337, 338; alpina propagulifera, 337, 340; aurea, 339, 340; fragilifolia, 337, 338, 340; inermis, 335; laevipila, 336, 337; latifolia, 337; montana, 336; muralis, 335, 339; pagorum, 337; papillosa, 337; ruralis, 336; subulata, 335
Tortula as represented in Southern Arizona, Studies in, 335
Tradescantia, 379; longifolia, 379; **roseolens,** 379
Tragacantha porrecta, 19
Trichosteleum, 247; **albifolium,** 246, 259; Boschii, 246, 253, 255; brachypelma, 246; brachypelma **compactum,** 246; hamatum, 253; Kurzii, 242; singapurense, 246, 247
Trilisa, 392
Trillium cernuum, 188; erectum, 188
Triticum, 37–39; monococcum vulgare, 38
Trixis angustifolia, 292
Tuberosa, 146
Ulmus americana, 189
Ulva Lactuca, 135; pertusa, 135; rigida, 135
Uredineae—XV, New species of, 51
Uredinopsis Scolopendrii, 52
Uredo Blechni, 53; Lygodii, 55; Scolopendrii, 52
Uromyces, 48; Betae, 41; **Betheli,** 58; Caladii, 38, 41; caryophyllinus, 38, 58; Pisi, 38, 47; Lychnidis, 58; Silenes, 58; **Standleyanus,** 57; Suksdorfii, 58; Veratri, 46; verruculosus, 58
Usnea, 210; florida, 205, 206, 209; hirta, 205, 206, 209
Utricularia, 197; fibrosa, 197; Gibba, 197; intermedia, 197; pumila, 197; radiata, 197
Uvularia nitida, 188

Vantanea, 65
Vaucheria, 482
Veratrum album, 46
Verbesina, 421, 430, 436; adenobasis, 433; **altipetens,** 425; arborea, 435; bipinnatifida, 432; **brachypoda,** 434, 435; callacatensis, 435; chihuahuensis, 292; columbiana, 429, 431; crassicaulis, 430, 432; crassiramea, 436; Cumingii, 436; diversifolia, 430; elegans, 423; flavovirens, 434; gigantea, 432; glabrata, 422; **grandifolia,** 432, 434; **grandis,** 428; **hastifolia,** 426; helianthoides, 425; Humboldtii, 425, lancifolia, 430; lloensis, 434; **Macbridei,** 421, 422; **macrophylla,** 430; **malacophylla,** 422; **minuticeps,** 431; myriocephala, 431, 432; **nudipes,** 427, 428; **pentantha,** 435; **pterophora,** 429; saubinetia, 425; **saubinetioides,** 423, 425; semidecurrens, 423; soratae, 423; synethes, 428
Verbesinaria, 423
Verbesinas, New South American, 421
Vesicularia purpurea, 197
Viscum, 127

Warburgiella cuspidatifolia, 257
Wedelia, 56
West Indian plants—XII, Studies of, 1
Wilcoxia, 290

Xanthium, 43, 48; canadense, 38
Xanthoria parietina, 206, 209
Xyris Congdoni, 187

Zostera, 137, 140